



TOUGHPAD FZ-X1

5" HANDHELD TABLET WITH BCR*, DATA & VOICE

The Toughpad FZ-X1 brings together the best of handheld, smartphone and Barcode reader* functionality into a single rugged and hard working 5" tablet. It is the ideal tool for mobile workers in the transportation & logistics, postal services, MoD, emergency & public safety, utilities, retail and manufacturing sectors. Thanks to its fully-rugged design with MIL-STD-810G certification, IP68 ratings and 3 meter drop resistance, the FZ-X1 promises a long life span and very low TCO. With operating temperatures of -20°C to +60°C, glove & rain-enabled daylight-readable display and a high capacity 6200mAh battery, field workers can operate anywhere, anytime and for as long as they need.

- Android™ 5.1
- Qualcomm® APQ8064T 1.7GHz Quad-core processor
- 2 GB RAM and 32GB flash storage
- 5" HD (1280 x 720) daylight-readable display with Glove & Rain mode
- MIL-STD 810G certified with 3 meter drop** resistance
- IP68 rated (Submersible in water up to 1.5 meters for 30 minutes)
- -20°C to +60°C operating temperature
- User replaceable high capacity battery with hot swap function
- Up to 14 hours continuous data access time; up to 23 hours talk time; up to 1000 hours standby time
- Integrated 1D/2D Barcode reader*
- Enterprise level security (FIPS140-2 level-1 compliant & Built-in ARM® TrustZone®)
- 3 microphones for intelligent noise cancellation
- Loud volume twin speakers (up to 100 dB)
- 4 user configurable buttons (for shortcut to applications)



BIG ABILITY. SMALL DIMENSIONS.



FULLY FEATURED 5" HANDHELD TABLET

Despite its small 5" display form factor, the FZ-X1 comes packed with the ability of a smartphone, handheld and barcode reader* in a fully rugged IP68 water & dust proof design. Its state of the art Qualcomm® 1.7 GHz quadcore processor together with 2GB RAM guarantees high performance. The user replaceable and hot swappable 6200 mAh battery comes as standard and offers an amazing 14 hours of continuous data access; 23 hours talk time or 1000 hours in standby.



Processor	Qualcomm® APQ8064T 1.7GHz Quad-core processor
Operating system	Android™ 5.1
RAM	2 GB
Display	5" HD (1280 x 720) display 10 point multi touch capacitive touchscreen with glove and rain modes Daylight viewable (up to 500 cd/m2) Anti-reflective and anti-glare screen treatments
Storage	32 GB eMMC
Storage expansion	micro SDXC card slot (max. 64 GB)
Audio	3 mics (2x Front & 1x Rear) 2x Loud volume speaker (up to 100 dB)
Camera	Rear: 8 MP rear camera with LED light Front: 1.3 MP
Sensors	Ambient light sensor, digital compass, gyro and acceleration sensors
Power	Battery: Li-ion 3.8V, 6200 mAh User replaceable with hot swap function Battery operating time: up to 14 hours continuous data access*** up to 23 hours talktime up to 1000 hours standby time Battery charging time: 50% charge in 1 hour (Quick charging) Full charge in Approx. 3 hours
Interfaces	AC Adapter: Input: 100V-240V AC, 50Hz/60Hz Micro USB 2.0: x1 (For charging and Data transfer) DC-IN: x1 (For quick charging) Docking connector: x1 (13 Pin) Headset jack: x1 (3.5mm)
Buttons:	User configurable buttons: x3 in the front & x1 in the side Power on/off button: x1 Dedicated camera button: x1 (For rear camera) Volume buttons: x2
Wireless	Bluetooth: v4.0 (class 1) WLAN: IEEE802.11 a/b/g/n/ac Voice* & Data: LTE, HSPA+, UMTS, EDGE, GPRS, GSM Micro SIM slots: x2 (Reboot required to change SIM) GPS: 2m CEP50 (±2 to 4m) GLONASS NFC: Yes (Felica Type A, Type B)
Security	FIPS140-2 level-1 compliant, Built-in ARM® TrustZone®
Ruggedness	Fully rugged design with sealed ports, MIL-STD-810G certified, 3 meter drop resistant Raised bezel for LCD impact protection IP68 rated (submersible in water up to 1.5 meters for 30 minutes) -20°C to +60°C operating temperature
Dimensions (WxDxH)	87.4 x 165 x 30.9 mm {3.4" x 6.5" x 1.2"}
Weight	Without BCR: approx. 426 g {0.94 lb.} With BCR: approx. 432 g {0.95 lb.}
What's inside the box	FZ-X1 Handheld tablet, AC adaptor and operating instructions manual
Accessories	Standard AC Adaptor (60W) CF-AA6373 AC Adaptor for Multi Device Cradle (110W) CF-AA5713 Single Device Cradle FZ-VEBX111U Multi Device Cradle (4-bay) FZ-VEBX121U Multi Battery Charger FZ-VCBX111U Hand Strap FZ-WSTX111 Corner Ring FZ-WCRX111 Holster FZ-VSTX111U Battery Pack (6200mAh) FZ-VZSUX100J

* Optional. **Battery life measurement conditions: Wireless LAN connection enabled; continuous access to the server while browsing; swipe every 1 second; page change every 30 seconds, communication every 30 seconds. ***Dual SIM - Single Standby (at any given instance only one SIM is active and the device could be switched to the other SIM by GUI).
DO NOT STARE INTO BARCODE READER'S BEAM. CLASS 2 LASER PRODUCT. Specifications and features given herein may be changed at any time without prior notice and may vary depending on the region. All brand names shown are the registered trademarks of the relevant companies. All rights reserved. All working conditions, times and figures quoted are optimum or ideal levels and may differ as a result of individual and local circumstance.

Panasonic
in.panasonictoughbook.asia

Contact us: 1800 419 0373 | Website: in.panasonictoughbook.asia | E-mail: toughbook.marketing@in.panasonic.com